

**RECEIVED**  
**CENTRAL FAX CENTER**  
**SEP 27 2007**

**In the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims**

1. (previously presented) An improved powered dispensing device adapted to dispense an evaporable material into an atmosphere, comprising
  - a reservoir containing evaporable material,
  - a wick extending from said reservoir and providing said evaporable material to a headspace surrounding an exposed end of the wick,
  - a blower adapted to provide airflow comprising the evaporable material from the headspace,
  - a separate manifold disposed above the wick and comprising at least one vent extending to the atmosphere and at least one internal baffle adapted to direct said airflow in a desired direction.
2. (canceled)
3. (previously presented) The improved device according to claim 1, wherein the rotational axis of the blower is perpendicular to the longitudinal axis of the wick, the blower being arranged such that it moves air containing evaporable material from the headspace in a first direction that is generally perpendicular to a second direction in which the air containing evaporable material is exhausted from the blower into the separate manifold.
4. (previously presented) The improved device according to claim 1, wherein the blower is a fan that induces a flow of air from an ambient environment in a direction parallel to that of the air drawn into the fan, through the headspace, and out into the atmosphere.

5. (canceled)

6. (previously presented) An improved method of providing an evaporable material to an atmosphere comprising the steps of

providing a headspace including evaporable material from a wick, that providing a reservoir of evaporable material,

providing a separate manifold disposed above the wick, and

causing a flow of air to pass through the headspace and separate manifold such that the air containing evaporable material is conveyed into the atmosphere.

7. (previously presented) The improved method according to claim 6, further comprising the step of

causing the flow of air by a blower and the blower receives the flow of air containing evaporable material in a direction that is generally perpendicular to the air containing evaporable material exhausted from the blower.

8. (previously presented) The improved device according to claim 1, wherein the manifold comprises at least one baffle, adapted to assist in the dissemination of the air containing evaporable material into the atmosphere.

9. (previously presented) The improved device according to claim 3, wherein the manifold comprises at least two baffles, adapted to the dissemination of the air containing evaporable material into the atmosphere.

10. (previously presented) The improved device according to claim 4, wherein the manifold comprises at least two baffles, adapted to direct the dissemination of the air containing evaporable material into the atmosphere.

11. (previously presented) The improved powered dispensing device according to claim 1, further comprising

the wick having an axis extending from said reservoir,  
wherein the blower has a rotational axis, and wherein the axis of the wick is  
perpendicular to the rotational axis of the blower.

12. (previously presented) An improved powered dispensing device adapted to dispense an  
evaporable material into an atmosphere, comprising  
a reservoir containing evaporable material,  
a wick extending from said reservoir and providing said evaporable material to  
a headspace surrounding an exposed end of the wick,  
a fan, which, when operating, induces a flow of air from the ambient  
environment in a direction parallel to that of the air drawn into the fan, through the  
headspace and out into the atmosphere through a separate manifold having at least one  
vent exiting to the atmosphere, and thereby convey evaporable material into the  
atmosphere.

13. (canceled)

14. (canceled)